NFORC T	The National Facial and Oral Research Centre	
BARMS	-19 OMFS trauma	
audit - C	Complication Saving Faces The Facial Surgery Research Foundation	
REDCap record ID	(already existing)	
Timing of complication(s)		
Number of days between index intervention and re-presentation (re-presentation date minus index intervention date, where index intervention date is day = 0)		
Number of days between re-presentation and second         intervention(s) (date of re-presentation minus date of previous         treatment, where date of re-presentation is day 0)		
If admitted, indicate the number of days spent in hospital (discharge date minus admission date, where admission date is day = 0, if not admitted, write "N/A"))		
Clinical data Is the patient currently being seen at a Hub or Pe	eripheral hospital? Hub hospital Spoke hospital	
Patient's pre-treatment covid-19 status         Covid negative test       Covid positive test         Post-covid infection       Unknown		
ASA status ASA I ASA II ASA III	ASA IV ASA V	
Anaesthetic None		
LA with sedation LA in Outpat	ients LA in theatre	
GA - Daycase GA - Inpatier	nt 🗌	
Indicate the type of complication(s) and their treatment(s) If a complication is missing, simply write it down		
Dental injuries		
Early loss of damaged teeth	No intervention	
	Antibiotics only	
	Debridement only	
	Splinting of teeth	
	Extraction(s)	
	Transfer to Hub for definitive treatment	

NFO	DRC	The National Facial and Oral Research Centre	
BAPMS			<b>[</b> •
THE FACE OF SURGERY QOMS Covid-19 OMFS trauma			
audit - Complication The Facial Surgery Research Foundation			
REDCap record ID		(already existing	g)
Laceration/incised wound face/ne	ck±facial ne	rve injury	
Unfavourable scar healing –		No intervention	
revision needed		Antibiotics only	
		Debridement only	
		Exploration of wound/arrest	
		Steristrips/Tissue glue	
		Suturing	
		Scar revision	
		Transfer to Hub for definitive treatment	
Le Fort/Naso-orbito-ethmoid (only) and Mandible fractures			
Early Fixation Failure (with or		No intervention	
without infection) < 4 weeks		Antibiotics only	
Infection: without fixation failure (no antibiotics)		Debridement only	
Infection: without fixation		Arch Bars with screws/wires	
failure (antibiotics)		Leonard buttons/ eyelet wiring / Bonded brackets	
Mal-occlusion Mal-Union		IMF Screws	
Non-union/Mobility at fracture site > 4 weeks		Bridle wire	
Osteomyelitis (clinical and		Plate(s) self-drilling screws	
radiograph)		Plate(s) drill & screws	
Soft tissue trauma from wires/IMF screws/Arch bars		External fixator	
		Extra-oral plate(s)	
		Extraction	
		Incision and drainage: extra-oral	
		Incision and drainage: intra-oral	
		Osteotomy	
		Removal of wires/IMF screws/Arch bars	
		Transfer to Hub for definitive treatment	

BAPMS	The National Facial and Oral Research Centre d-19 OMFS trauma
	Complication Saving Faces
REDCap record ID	(already existing)
Nasal bone fracture (isolated)	
Write complication(s) here	No intervention
	Debridement only
	Closed reduction (e.g. MUA nose)
	Revision rhinoplasty
	Transfer to Hub for definitive treatment
Orbital floor	
Significant enophthalmos	No intervention
Persistent diplopia	Antibiotics only
Persistent pain	Debridement only
	Exploration and repair with
	Transfer to Hub for definitive treatment
Zygomatic Complex (isolated)	
Failure of reduction/fixation	No intervention
Infection: without fixation failure	Antibiotics only
(no antibiotics) Infection: without fixation failure	Debridement only
(antibiotics)	Closed reduction (e.g. elevation zygoma)
	Plate(s) self-drilling screws
	Plate(s) drill & screws
	Transfer to Hub for definitive treatment